SPECIFICATION

The 9000 Series doors are constructed of foamed in place 1.25" steel welded frame with textured ABS surface and radiused PVC edges. Door panels are 1.875" thick. These operate on the "V" Cam gravity hinge.

FX9000 - RHS



QUANTITY: 1

FINISHED OPENING SIZE:
72" W X 84" H
REGULAR

DOOR COLOR:
PLEASE ADVISE

WINDOW: 14.5" X 22.5"
SINGLE PANE
INTERNAL PVC FRAME
POLYCARBONATE

HINGE: MID RISE (SS) V-CAM

JAMB GUARD:
STANDARD PILLOW BLOCK

MATERIAL: ALUMINUM
GASKETS: YES

Approved By:

Signature:

TAG:

ELIASON®
Ph: 800-828-3655
Fx: 800-828-3577
www.eliasoncorp.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ELIASON CORP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ELIASON CORP. IS PROHIBITED.

SOLD TO:

PROJECT:

ORDER #:

PO #:

SPECIFICATION

The 9000 Series doors are constructed of foamed in place 1.25" steel welded frame with textured ABS surface and radiused PVC edges. Door panels are 1.875" thick. These operate on the "V" Cam gravity hinge.

FX9000 - LHS



QUANTITY: 1

FINISHED OPENING SIZE:
72" W X 84" H
REGULAR

DOOR COLOR:
PLEASE ADVISE

WINDOW: 14.5" X 22.5"
SINGLE PANE
INTERNAL PVC FRAME
POLYCARBONATE

HINGE: MID RISE (SS) V-CAM

JAMB GUARD:
STANDARD PILLOW BLOCK

MATERIAL: ALUMINUM
GASKETS: YES

Approved By:

Signature:

TAG:

ELIASON®
Ph: 800-828-3655
Fx: 800-828-3577
www.eliasoncorp.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ELIASON CORP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ELIASON CORP. IS PROHIBITED.

SOLD TO:

PROJECT:

ORDER #:

PO #:

SPECIFICATION

The 9000 Series doors are constructed of foamed in place 1.25" steel welded frame with textured ABS surface and radiused PVC edges. Door panels are 1.875" thick. These operate on the "V" Cam gravity hinge.

FX9000 - D



SCALE:1:30

QUANTITY: 1

FINISHED OPENING SIZE:
72" W X 84" H
REGULAR

DOOR COLOR:
PLEASE ADVISE

WINDOW: 14.5" X 22.5"
SINGLE PANE
INTERNAL PVC FRAME
POLYCARBONATE

HINGE: MID RISE (SS) V-CAM

JAMB GUARD:
STANDARD PILLOW BLOCK

MATERIAL: ALUMINUM
GASKETS: YES

Approved By:

Signature:

TAG:

ELIASON®
Ph: 800-828-3655
Fx: 800-828-3577
www.eliasoncorp.com

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ELIASON CORP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ELIASON CORP. IS PROHIBITED.

SOLD TO:

PROJECT:

ORDER #:

PO #: